
Index

|, Alternatives, 106
 :=, SetDelayed, 46
&&, And, 55
 #, Slot, 181
@@, Apply, 133
@@@, Apply at level one, 135
 ; ;, Span, 74

_, Blank, 96
___, BlankNullSequence, 101, 127
__, BlankSequence, 96, 100
 ~~, StringExpression, 255
 <>, StringJoin, 247

;, CompoundExpression, 12
 !=, NotEqual, 53

/;, Condition, 102, 163
 ||, Or, 55

==, Equal, 53, 195
 [[...]], Part, 25, 74

<<, Get, 378
 Abecedarian words, 267
>=, GreatEqual, 53
 Aborting calculations, 17
>, Greater, 53
 Abs, 36

++, Increment, Increment (++), 172
 Accumulate, 32, 151
 Accuracy, 34
 Acyclic graphs, 195
 Adjacency lists, 193
 Adjacency matrices, 144
 Adjacency structures, 193
 AdjacencyGraph, 67, 145
 AllTrue, 71
 Alternative input syntax, 13
 Alternatives (|), 106, 364
 in string patterns, 258
 Amino acids, visualization of, 242, 302
 Anagrams, 251, 280, 282
 efficiency of computations, 364
 And (&&), 55, 317
 AnyTrue, 72
 Append, 80
 Apply (@@), 133
 ArcLength, 122
 ArcTan, 331

..., Repeated, 107
...., RepeatedNull, 107

====, SameQ, 195
=, Set, 45

- Area of triangles, 124, 335
- Arg, 36
- Argand diagram, 36
- ArrayPlot, 66
- Arrays
 - constant, ConstantArray, 68, 82, 344
 - creating, Array, 67
 - depth of, ArrayDepth, 73
 - in other languages compared with lists, 95
 - operations on, 201
 - packed, 356
 - sparse, SparseArray, 68
- Ascii characters, 242, 244
- Assignments, 44
 - compared with transformation rules, 114
 - delayed, 46
 - immediate, 45
 - parallel, 212
 - to list components, 81
- Associations
 - converting to lists, 89
 - creation of, 89
 - default output form, 90
 - formatting values in, 177
 - keys, 89
 - looking up values, Lookup, 89
 - operating on, 91
 - sorting on keys, 92
 - values, 89
- Atomic expressions
 - graphs, 21
 - images, 22
 - numbers, 20
 - sparse arrays, 22
 - strings, 21
 - testing for, AtomQ, 20, 52
- Attributes, 59
 - clearing, ClearAttributes, 139
 - finding functions with, 189
 - Hold, 59
 - Listable, 59, 61
 - of mathematical constants, 37
 - Protected, 60
- setting, SetAttributes, 60, 139, 356
- Auto-correlation, 229
- Auxiliary functions, 241
- BaseForm, 38
- Begin, 382
- BeginPackage, 386
- Begriffsschrift, 19
- Benford's law, 87, 144
- BernoulliDistribution, 212, 214, 242
- Biased distributions, 42
- Bibliographies
 - creating with Association, 93
 - formatting values, 177
- Bigrams, 88, 254
- Binary exponentiation, 152
- Binary matrices, 204
 - computed in parallel, 368
- Binomial coefficients, 70
 - Binomial, 346
- Bit operators, 56
 - BitOr, 56
 - BitXor, 56, 196
- Blanagrams, 280, 370
- Blank (_), 96
- BlankNullSequence (_), 96, 101, 127
- BlankSequence (_), 96, 100
- Blas routines, 353
- Block, 210
- Blokland, Frank, 14
- Bond percolation, 242
- Boole, 67
- Boolean operators, 54
- BooleanTable, 241
- Borges, Jorge L., 268
- Bounding boxes, points in plane and space, 144
- Bubble sort, 129
- C language
 - compared with Mathematica, 95
 - compilers, 376
 - pointers, 82
- Caenorhabditis elegans*, 198

- Caesar, Julius, 249
- Calculations, interrupting or aborting, 17
- Calkins, Harry, 302
- Car Talk*, 252
- Cartesian coordinates, converting from polar angles to, 192
- Cartesian products, using transformation rules, 118
- Cases, 202
 - basic examples, 97
 - level specification of, 102
- Cells
 - initialization, 387
 - printing, `CellPrint`, 93
- Center of mass, of random walk, 227
- `CentralMoment`, 227
- Centroids, 284
 - of clustered data, 208
 - of triangles, 185
 - visualizations of, 290
- Champernowne constant, 51
- Chandah-sutra*, 152
- `CharacterRange`, 242
- Characters, 247–248
- Chemicals
 - data for, `ChemicalData`, 326
 - positions of atoms, 327
 - radius of atoms, `VanDerWaalsRadius`, 328
 - space-filling plots, 326, 345
- `ChiSquareDistribution`, 40
- Church, Alonzo, 131
- Ciphers
 - Caesar, 253
 - ciphertext, 249
 - mixed-alphabet substitution, 253
 - permutation, 250
 - substitution, 249
 - transposition, 253
 - XOR, 41, 245
- Circumcenter of triangles, 291, 339
- Clearing
 - attributes, `ClearAttributes`, 139
 - attributes, messages, or options, `ClearAll`, 140
 - values, 45
- Clipping, amplitudes in data, 177
- `CloseKernels`, 368
- Clustering data, 207
 - visualization of, 213
- Coleman, Ornette, 15
- Collatz sequences, 111, 177
 - package for, 392
- Collinear points, 290
- Collocation of words, 283
- Color wheel, 290
- `ColorData`, 209
 - CPK model, 328
- Comments, 14
- Compilation
 - autocompiling, `CompileOptions`, 361
 - of functions, `Compile`, 374
 - output of, `CompiledFunction`, 374
 - parallelizing, 375
 - run-time options for, 375
 - to C, `CompilationTarget`, 376
 - to listable functions, 375
 - to virtual machine, 374
 - tools for, `CompilePrint`, 376
- `Complement`, 83
- Complex numbers, 36
 - Argand diagram for, 36
 - conjugate, `Conjugate`, 36
 - converting to polar form, 41
 - imaginary part, `Im`, 36
 - length of, `Abs`, 36
 - phase angle, `Arg`, 36
 - random, 40
 - real part, `Re`, 36
 - visualization of, 343
- Composite numbers, 133
- Compound expressions, 29
- Compound functions, 47
- Computation
 - symbolic vs. numeric, 353
 - threading, 369
- Computational geometry
 - convex hull, 313
 - point in polygon, 334
- Condition numbers, 214

- Conditional expressions, `Condition` (/), 163
- Conditional functions
 - `If`, 162
 - nested, 165
 - `Piecewise`, 164
 - `Switch`, 167
 - `Which`, 166
- Conditional patterns, `Condition`, 102
- Conjugate, 11
- ConjugateTranspose, 31
- ConnectedGraphQ, 52
- ConstantArray, 68, 82, 344
- Constants
 - attributes of, 37
 - localizing, `With`, 210
 - mathematical, 37
 - sorting, 79
- Contexts
 - current, `$Context`, 381
 - exiting current, `End`, 383
 - global, 381
 - nested, 384
 - of symbols, `Context`, 382
 - path for, `$ContextPath`, 382
 - private, 387
 - starting new, `Begin`, 382
- Contractions, 263
- Control objects
 - `PopupMenu`, 301
 - setter bars, 301
 - two-dimensional slider, `Slider2D`, 378
- ControlType, 301
- Converting
 - associations to lists, `Normal`, 89
 - between number bases, 38, 191
 - character codes to strings, `FromCharacterCode`, 244
 - complex numbers to polar form, 41
 - contractions in strings, 263
 - date formats, 214
 - expressions to strings, `ToString`, 242
 - from list of digits to number, `FromDigits`, 38
 - lists to associations, `Association`, 89
 - polar angles to Cartesian coordinates, 192
 - sparse arrays to lists, `Normal`, 68
 - strings to binary codes, 41
 - strings to character codes, `ToCharacterCode`, 244
- strings to expressions, `ToExpression`, 242
- to packed arrays, `Developer`ToPackedArray`, 360
- True/False to os and is, `Boole`, 67
- Convex hulls
 - boundary mesh region for, `ConvexHullMesh`, 313
 - `ConvexHull`, 313
 - used to compute diameter of point set, 365
- Convex polygons, 334
- CoordinateBoundsArray, 71
- CoprimeQ, 57
- Count, 72, 109
- Counting
 - approaches, efficiency of, 346
 - binary matrices, 204
 - change, 210
 - characters in strings, 253
 - coins, using transformation rules, 120
 - iterations in loops, 175
 - nucleotides in sequences, 258
 - number of multiplies, `MultiplyCount`, 119
 - sentence length in text, 266
 - steps inside looping constructs, 351
- CPK model, for coloring atoms, 328
- Cross products, 124
- Cylinder, 287
- Darwin, Charles, 248
- Data
 - adding headers to tabular, 84
 - auto-correlated, 233
 - clipping values, 177
 - clustering, 207
 - displaying tabular, `Grid`, 63
 - filtering, 120, 133
 - finding convex hull for, 313
 - fitting with linear model, 130
 - historical differences from mean, 135
 - nonnumeric values in, 110, 202
 - removing outliers from, 112, 121
 - scraping from web pages, 256
 - smoothing noise in, 372
 - spikes in, 186
 - visualizing, `ArrayPlot`, 66
 - working with, 198

- Data sets
 - avian influenza A (National Center for Biotechnology Information), 319
 - beam deflection (NIST), 232
 - C. elegans* (Dana-Farber Cancer Institute), 198
 - historical land temperatures (NASA Goddard Institute for Space Studies), 217
 - power grid (University of Florida sparse matrix collection), 66
 - sea and land surface temperatures (Goddard Institute for Space Studies), 135
 - serotonin (PubChem, National Center for Biotechnology Information), 327
 - sunspot activity (Royal Observatory of Belgium), 130, 233
 - text transcripts and tagged texts (British Academic Spoken English), 266
 - water reservoirs (CA Dept. of Water Resources), 121
- Dataset, 92
- Dates
 - conversion of, 214
 - difference between, DateDifference, 133
 - list of, DateList, 131
- Declarative style of programming, 6
- Default values, 189
- Defer, 29, 45
- Definitions
 - multiple, 48
 - of variables, 43
- Delayed assignments, SetDelayed (:=), 46
- Delayed rules, RuleDelayed (:=>), 114
- Delete, 76
- DeleteCases, 98, 109
- DeleteDuplicates, 84
- Density of graphs, 57
- Deploying packages, 387
- Diameter of point sets, 144, 191
 - computational efficiency, 365
- Dice, visualization using transformation rules, 119
- DictionaryLookup, 192, 268
- Digit roots, 180
- Digit sums, 180
- DigitCharacter, 256
- Dimensions, 73
- Directive, 317
- Directives, for graphics, 284
- DistanceFunction, 241
- DistributeDefinitions, 371
- Divergence, of vector field, 146
- DNA
 - bases used in random strings, 268
 - computing GC ratios, 274
 - displaying sequences of, 278
 - sequence analysis, 274
- Do, 169
 - counting steps inside loop, 351
- Documentation Center, 18
- Dot plots, 319
 - labeling, 344
 - window (or block) size, 321, 344
- Dot product, Dot, 140
- Drop, 76
- Duchamp, Marcel, 302
- Dynamic, 296
- Dynamic expressions
 - constraining movement of, 303
 - control objects for, 293
 - locators, 294
 - saving state, 299
 - scoping of, DynamicModule, 299
 - setting control type, ControlType, 301
 - updating values within, 297
- Dynamic programming, 156
- DynamicModule, 299, 339
- EdgeCount, 57
- Eigenvalues, 31, 206
- Eigenvectors, visualization of, 229, 346
- ElementData, VanDerWaalsRadius, 328
- Elements of lists, 60
- Ellipsoids, 301
- Encoding, text, 249
- EndPackage, 386
- Entropy, 42
- Epicycloids, 345
- Equal (==), 36, 53, 195
- Equality
 - of strings, 243
 - testing for, Equal vs. SameQ, 36, 72

- Equilateral triangles, 214
- Eratosthenes, sieve of, 223, 350
- Error messages, 219
- Errors, syntax coloring of, 15
- Euclidean algorithm, for greatest common divisor, 179
- Euclidean plane, quadrants, 180
- Euler, Leonhard, 346, 372
- Euler lines, 346
- Eulerian numbers, 160
- Evaluate, 60
- Evaluation
 - deferring, `Defer`, 29, 45
 - of arguments to functions, 28
 - preventing, `HoldForm`, 29
 - releasing held, `ReleaseHold`, 29
 - sequence of, 28
 - tracing of, 30
- EvaluationMonitor, 174
- EvenQ, 52
- Except, 98
- ExponentialMovingAverage, 193
- Exponentiation, notation for, \wedge , 10
- Expressions, 20
 - atomic, 20
 - compound, 29
 - deferring evaluation of, 29
 - display of, 27
 - entering traditional notation for, 9–10
 - evaluation of, 8, 28
 - extracting parts of, 126
 - getting dimensions of, `Dimensions`, 73
 - head of, 20
 - internal form for, 23
 - length of, `Length`, 23
 - levels of, `Level`, 26
 - mapping functions over, 132
 - nesting of, 30
 - normal, 22
 - parts of, 24, 74
 - structure of, 22
 - visualizing with `TreeForm`, 25
- FaceGrids, 287
- Factoring
 - integers, 145
 - large integers, 367
- FASTA file format, 319, 344
 - importing, 274
- Fibonacci, Leonardo, 153
- Fibonacci numbers
 - computed iteratively, 178
 - defined recursively, 153
 - defined using dynamic programming, 157
 - definition, 104
 - fast computation with matrices, 176
 - leading digits of, 87, 144
 - negative integer indices, 160
 - speeding up computation of, 160
- Fibonacci words, 254
- Filtering data
 - removing nonnumeric elements, 110, 133
 - removing outliers, 121, 141
 - removing spikes, 186
- FindClusters, 208
- FindFile, 380
- FindShortestTour, 303, 333
- First, 76
- Fitting data, `LinearModelFit`, 130
- FixedPoint, 149
- Flatten, 81
- Fold, 151
- FoldList, 151
- For, 171, 223
- FreeQ, 72
- Frege, Gottlob, 19
- FromDigits, 38
- FullForm, 23
 - of strings, 242
- Function, 181
- Functions
 - alternate syntax for, 13
 - applying, `Apply`, 133
 - applying to lists, 76

- argument checking, 167
- auxiliary, 241
- compound, 47
- definitions for, 44
- evaluation of arguments, 28
- indexed, `MapIndexed`, 187
- information about, 17
- iterating, 146
- listing all in `System`` context, 190
- mapping of, 132
- multiple definitions for, 48
- nesting of, 30
- piecewise-defined, 51
- private, 239, 377
- public, 239, 377, 386
- pure, `Function`, 181
- syntax of, 8

- Galileo Galilei, 130
- Gavioli, Anselmo, 19
- GC ratios, 258, 274
 - visualization of, 276
- GenBank file format, 280
- GenomeData, 271
- `Get (<<)`, 378
- Global context, `Global``, 381
- Golden ratio, as fixed point, 149
- Graphics
 - cached values in, 310
 - color wheels, 290
 - `Directive`, 317
 - directives, scope of, 284
 - displayed with `Show`, 289
 - displaying, 283
 - displaying with `Show`, 324
 - efficient representation of, 303
 - internal box representation, 310
 - lighting of three-dimensional, 328
 - multi-objects, 303
 - numeric vs. symbolic values, 310
 - options, 286
 - primitives, 282
 - reflection of lights, `Specularity`, 328
 - reflection transforms, 289
 - representation with `GraphicsComplex`, 306
 - rotating, 148
 - space-filling plots, 326
 - structure of built-in, 287
 - three-dimensional, 287
 - translation of, 149
 - used to visualize roots of functions, 315
- Graphics, 283
- Graphics3D, 287
- GraphicsComplex, 306
- Graphs
 - adjacency, 67
 - adjacency matrix of, 144
 - adjacency structures, 193
 - counting edges incident to vertex, `VertexDegree`, 199
 - deleting self-loops, 200
 - density of, 57
 - directed acyclic (DAGs), 195, 204
 - highlighting parts of, `HighlightGraph`, 70
 - neighborhood of vertex, `NeighborhoodGraph`, 194
 - power grid as, 66
 - protein-protein interactions, 199
 - random, $G(n, m)$, 42
 - random, $G(n, p)$, 211
 - random walk on, 211
 - regular, 210
 - testing for connected, `ConnectedGraphQ`, 52
- Greater ($>$), 53
- GreaterEqual (\geq), 53
- Greatest common divisor, 179
- Grid, 63
 - displaying DNA sequences, 279
 - inheriting options from, 279
- GridGraph, 70

- Hamming distance, 195, 210
 - efficiency issues, 364
- Hamming (regular) numbers, 193
- Hamming weight, 50
- HASKELL programming language, 131
- Head, 20
- Heron's formula for triangle area, 143
- Hexagonal lattice, 312
- HighlightGraph, 70
- Hilbert matrices, `HilbertMatrix`, 14, 214

- Hold attributes, 59
 - HoldAll, 370
 - HoldForm, 29
- Horner's method, for polynomial multiplication, 178
- Hyperlinks, creating from associations, 92
- Hypocycloids, 321, 344
 - dynamic visualization of, 325
- IdentityMatrix, 236
- If, 162
- Im, 36
- Images
 - convolving, ImageConvolve, 296
 - dimensions of, ImageDimensions, 162
- Immediate assignment, Set (=), 45
- Imperative style of programming, 5
- Importing
 - CSV files, 121, 198
 - FASTA files, 274, 319, 344
 - SDF files, 327
 - spreadsheets (xlsx), 208
 - time series data, 130, 135, 217, 233
- Incenter of triangles, 291
- Indexed functions, MapIndexed, 187
- InfiniteLine, 341
- Infix notation, 13
- Information
 - about built-in functions, 17
 - documentation, 18
- Information theory, 42
- Initialization cells, 387
- Inner products, Inner, 140
- InputForm, 27
 - of plots, 288
 - of strings, 242
- Insert, 80
- Installing packages, 388
- Integer lattice, 71
- IntegerDigits, 3
- Integers, 34
 - extracting digits of, IntegerDigits, 3, 38
 - random, RandomInteger, 39
 - reversing digits of, 3
 - testing for, IntegerQ, 52
- Interactomes, 198
- InterpolatingFunction, 362
- Interpolation, 362
- Interpreted languages, 6
- Interrupting calculations, 17
- Intersection of lists, Intersection, 83
- Iteration
 - convergence problems, 150
 - fixed point, FixedPoint, 149
 - functions of two arguments, Fold, 151
 - graphics objects, 148
 - of functions, 146
 - of symbolic expressions, 148
 - Sierpiński triangle, 152
 - with conditions, NestWhile, 151
- Iterator lists, 61
- Iterators, multiple, 61
- Jacobian matrix, 146
- Jacquard loom, 19
- JAVA programming language, compared with Mathematica, 95
- Join, 83
- Josephus, Flavius, 197
- Josephus problem, 197, 210
- Julia, Gaston, 379
- Julia sets, 377
- Kashi Vishwanath, 159
- Keys, 89
- KeySort, 91
- Klee, Paul, 282
- Knuth, Donald E., 343
- Lag plots, 229
- Languages
 - C, 5
 - comparisons between, 95
 - domain-specific, 10
 - FORTRAN, 5
 - HASKELL, 131
 - interpreted, 6
 - JAVA, 6, 131

- LISP, 131
- PERL, 5, 260
- PYTHON, 5
- SCHEME, 131
- Last, 76
- Lattices
 - hexagonal, 312
 - random walk on, 234
 - three-dimensional, 313
 - visualizing integer, 71
- LaunchKernels, 367
- Leading digits problems, 87, 144
- Length
 - of expressions, Length, 23
 - of lists, Length, 73
- Less ($<$), 53
- LessEqual (\leq), 53
- LetterCharacter, 255
- LetterQ, 243
- Levels of expressions, Level, 26
- Lighting, 328
- LinearModelFit, 130
- LISP programming language, 131
- Listability, 138, 355
 - of built-in functions, 77
 - of compiled functions, 375
 - setting attribute, 61, 162, 356
- Listable, 59
- ListLinePlot, 65
- ListPlot, 65
- Lists
 - applying functions to, 76
 - compared with arrays in other languages, 95
 - comparison with pointers in C, 82
 - complement of, Complement, 83
 - component assignment, 81, 87, 213
 - constructing, 60
 - converting to associations, 89
 - counting frequency of elements in, 72
 - deleting duplicates, DeleteDuplicates, 84
 - depth of, ArrayDepth, 73
 - display of, 63
 - dropping elements, Drop, 76
 - elements of, 60
 - flattening, Flatten, 81
 - inserting elements, Insert, 80
 - internal representation, 60
 - intersection of, Intersection, 83
 - iterators for, 61
 - joining, Join, 83
 - measuring length of, Length, 73
 - nested, 61
 - operations compared to strings, 248
 - partitioning, Partition, 79
 - permuting elements of, 179
 - position of elements in, 72
 - removing elements of, Delete, 76
 - replacing parts of, ReplacePart, 81
 - reversing order of, Reverse, 79
 - rotating elements, RotateLeft, 79
 - sorting, Sort, 77
 - sorting, with rules, 127
 - syntax of, II, 60
 - taking sublists, Take, 75
 - testing for, ListQ, 52
 - testing for membership in, MemberQ, 72
 - transposing elements, Transpose, 80
 - union of, Union, 83
 - visual representation, TreeForm, 73
- Loading packages
 - Get, 378
 - Needs, 378
- Localization of
 - constants, With, 210
 - names, Module, 208
 - values, Block, 210
- Location of packages, 379
- Locators
 - create on click, LocatorAutoCreate, 294
 - Locator, 294
 - panes for, LocatorPane, 300
- Logarithm, properties of, 51
- Logical operators, 54
 - Venn diagrams, 317
- Lookahead/lookbehind constructs, 263
- Lookup, 89

- Loops
 - counting iterations, 175
 - deleting in graphs, 200
 - Do, 169
 - Do vs. Table, 178
 - efficiency issues, 350
 - For, 171, 223
 - printing intermediate values, 175
 - While, 172
- LowerCaseQ, 243
- Lucas, Édouard, 159
- Lucky numbers, 241
- Machine numbers, 35
- Mandelbrot set, 373
- Manipulate, 292
- Map (/@), 132
- MapCompileLength, 361
- MapIndexed, 187
- Mapping
 - at different levels, 135
 - over expressions automatically, Listable, 139
 - pure functions, 182
- MapThread, 135, 196
- Markov models, 211
- MatchQ, 96
- Matrices
 - adjacency, 144
 - binary, 204
 - column means of, 202
 - condition number of, 214
 - conjugate transpose, 31
 - displaying with MatrixForm, 63
 - Hilbert, 14, 214
 - inserting columns and rows, 87
 - Jacobian, 146
 - multiplication of, 144
 - nilpotent, 195
 - Pascal's, 70
 - powers of, 14
 - spectral norm, 31
 - swapping rows and columns, 87, 212
 - testing for square, 102, 143
 - testing for symmetry, SymmetricMatrixQ, 52
 - transition probability, 211
 - triangular, 67, 176, 211
 - Vandermonde, 146
 - visualizing, MatrixPlot, 66
- MatrixForm, 63
- MatrixPlot, 66
- Median, 177, 210
- MemberQ, 72, 189
- Merge sort, 130
- Mersenne prime numbers, 141
 - computed in parallel, 368, 372
 - computed using prime exponents, 146
- Mesh, 315
- MeshFunctions, 315
- MeshPrimitives, 313
- Messages, 218
 - error and warning, 219
 - in packages, 386
 - issuing, Message, 219
 - multiple associated with symbol, 220
 - switching on and off, 358
 - templates for, 219
- Midpoints, of triangle sides, 183
- Module, 208
 - compared to With, 211
- Monte Carlo algorithms, used to approximate π , 213, 365, 372
- Most, 76
- Moving averages, 143, 372
 - exponential, 193
- Multi-objects, 303
- Multi-threaded computation, 369
- Multiplication, by binary exponentiation, 152
- N-grams, 88, 254
- Named patterns, 109
- Names, 190, 379
- Natural language processing
 - comparing punctuation across corpora, 282
 - converting contractions, 263
 - distribution of sentence length, 259
 - distribution of word length, 259
 - energy content in, 42

- finding unique words in corpora, 259
- letter frequency analysis, 253
- measuring complexity of texts, 259
- n*-grams, 88
- pluralizing words, 266
- stop words, 266
- text comparison, 372
- word collocation, 283
- Natural language processing, *n*-grams, 254
- Natural numbers, 57
- Nearest neighbor algorithm, used to solve TSP, 213
- Needs, 378
- Nested lists, 61
- Nesting functions
 - `Nest`, 146
 - `NestList`, 146
 - `NestWhile`, 151, 188
- Networks
 - power grid, 66
 - protein-protein interaction, 198
- Newton's method for finding roots, 168, 188
- Nilpotent matrices, 195
- Norm, computing distance with, 191
- Norm, 31
- Normal expressions, 22
- NormalDistribution, 40
- Normality of digit sequences, 41
- Notebook interface, 8
- NotEqual, `#`, 53
- Nucleotide sequences
 - aligning, 319
 - analyzing frequency in DNA, 143
 - bases used in, 268
 - displaying, 278
 - GC ratios, 274
 - n*-grams in, 254
 - visualizing with dot plots, 319
 - window (or block) size, 275
 - word length, 143
- NumberForm, 41
- NumberQ, 38
- Numbers
 - binary representation, 50
- Champernowne, 51
- complex, 36
- composite, 133
- concatenating, 51
- constants, 37
- controlling display of digits in, 41
- converting between bases, 191
- display of approximate, 27
- Eulerian, 160
- explicit vs. implicit, 38
- extracting digits of, 38
- Fibonacci, 87
- Hamming (regular), 193
- Hamming weight of, 50
- integers, 34
- leading digits of Fibonacci, 144
- lucky, 241
- machine, 35
- Mersenne, 141
- Mersenne prime, 146, 368
- natural, 57
- perfect, 53, 143, 372
- periodicity of digits in, 41
- rational, Rational, 34, 50
- real, 35
- relatively prime, CoprimeQ, 57
- rep units, 191
- Smarandache-Wellin, 51, 253
- Smith, 241
- square, 57, 191
- square palindrome, 365
- square pyramidal, 88
- square triangular, 57
- triangular, 57, 363
- weighted random, 73
- NumberString, 256
- NumericQ, 38
- OddQ, 52
- Off, 358
- On, 358
- Opacity, 287
- Operators

- bit, 56
- infix notation for, 13
- logical, 54
- postfix notation for, 13
- precedence of, 53
- prefix notation for, 13
- Options, 215
 - argument structure, OptionsPattern, 216
 - defined in packages, 386
 - extracting values of, OptionValue, 216
 - finding all functions with given, 193
 - for graphics, 286
 - inheriting, 279, 316, 345
 - syntax of, 216
- Or (||), 55
- OrderedQ, 267
- Orthocenter of triangles, 291
- Outer products, Outer, 140
- Outliers, removing from data, 112
- Output, how to refer to, %, 9
- OutputForm
 - of numbers, 27
 - of strings, 242
- $\mathcal{P} = \mathcal{N}\mathcal{P}$, 303
- Packages
 - beginning, BeginPackage, 386
 - built-in, 378
 - deployment of, 387
 - displaying names of functions in, Names, 379
 - distributing across kernels, ParallelNeeds, 371
 - ending, EndPackage, 386
 - finding location of (FindFile), 380
 - framework for, 380, 385
 - installation of, 388
 - loading, Get vs. Needs, 378
 - location of, 379
 - location of initialization file for, 380
 - messages defined in, 386
 - options defined in, 386
 - search path for (\$Path), 379
 - testing of, 390
 - tips for developing, 387
- Packed arrays, 356
 - converting to, Developer`ToPackedArray, 360
 - size of, 357
 - testing for, Developer`PackedArrayQ, 357
 - unpacking, 348
- Padé approximants, 379
- Palindromes, 2
 - of length n , 259
 - square, 365
 - string, 252
- Panel, 299
- Parallel assignments, 212
- Parallel computation, 5, 367
 - basic examples, 367
 - closing kernels, CloseKernels, 368
 - computations that do not parallelize, 369
 - distributing definitions, DistributeDefinitions, 371
 - distributing package definitions, ParallelNeeds, 371
 - graphical user interface for, 368
 - launching kernels, LaunchKernels, 367
 - methods for, 369
 - with compiled functions, 375
 - \$ProcessorCount, 367
- Parallelize, 369
- ParallelMap, 368
- ParallelTable, 377
- ParametricPlot, 322
- Partitioning
 - lists, Partition, 79
 - lists of vertices, 336
 - strings, 271
- Parts of expressions, Part, 24–25, 74
 - shorthand notation, [[...]], 74
- Pascal’s matrix, 70
- Password generator, 270
- Pattern matching, efficiency of, 346
- Patterns, 96
 - alternatives in, |, 106
 - conditional, 102
 - finding expressions that match, Cases, 97
 - function arguments as structured, 270
 - in function definitions, 44, 98
 - labeled in transformation rules, 115

- matching, `MatchQ`, 96
- matching deeply nested expressions, 101
- matching sequence of expressions, 100
- named, 109
- regular expressions, 260
- repeated, 106–107
- string, 254
- structured, 98
- syntactic vs. semantic matching, 99
- Percolation, bond, 242
- Perfect numbers, 372
 - searching for, 143, 214
 - searching for in parallel, 372
 - tests for, 53
- Perimeter, triangle, 122
- PERL programming language, 260
- Permutation ciphers, 250
- Permutations, 179
 - inverse, 179
 - of strings, 252
- Permutations, 251
- $\text{Pi}(\pi)$
 - approximating by Monte Carlo simulation, 213, 365, 372
 - finding sequence of digits in, 257
 - normality of digits of, 41
 - playing digits of, 194
 - random walks on digits of, 290, 314
- Pick, 141, 200
- Piecewise, 164
- Piecewise-defined functions, 51
- Player pianos, 19
- Plot
 - adaptive sampling used in, 288
 - structure of, 287
- Points
 - collinear, 290
 - in polygons, 334
 - multi-objects, 304
- Polar angles, converting to Cartesian coordinates, 192
- Polygons
 - convex, 334
 - in hexagonal lattice, 312
 - nonconvex, 337
- points in, 334
- Polynomials
 - fast multiplication with Horner's method, 178
 - plotting complex solutions of, 343
- Position, 72, 109
- Postfix operators, 13
- Power grid, as graph, 66
- Precedence of operators, 53
- Precision
 - fixed, 210
 - in numbers, `Precision`, 34
- Predicates, 52
 - as pure functions, 186
 - creation of, 53
 - for filtering data, 141
 - multiple tests with, 104
 - two-argument form, 52
- Prefix operators, 13
- Prepend, 80
- Prime numbers
 - gaps in, 74
 - less than a number, `PrimePi`, 86, 224
 - `Prime`, 86
 - sieving, 350
 - testing for, `PrimeQ`, 52
- Print, 6, 175
- Private context (`Private`), 387
- Private functions, 239, 377
- Profiling, 354, 370
- Programming
 - categorizing tasks, 7
 - comparing styles of, 5, 344
 - declarative style of, 6
 - dynamic, 156
 - functional, 131
 - history, 5
 - imperative style of, 5
 - modularity in, 201
 - tasks in, 7
- Programs
 - adding comments to, 14
 - bad input in, 3
 - choosing efficient approaches, 344

- computational complexity, 129
- evaluation of, 6
- parallel, 367
- parallelizing, 5
- profiling, 354, 370
- testing efficiency of, 4
- Protected**, 60
- Proteins**
 - interaction networks, 198, 210
 - visualizing with dot plots, 319, 344
- Public functions**, 239, 377, 386
- Pure functions**
 - built-in, 362
 - efficiency of, 361
 - listable, 356
 - mapping, 182
 - multiple arguments, 183
 - predicates, 186
 - syntax of, 181
- QuantityMagnitude**, 328
- Quitting the kernel, Quit**, 390
- Radius of gyration tensor**, 226
 - symbolic vs. numeric, 353
 - visualization of, 229
- Random graphs**, 214
 - $G(n, m)$, 42
 - $G(n, p)$, 211
- Random musical notes**, 212
- Random numbers**
 - biasing distributions of, 42
 - creation of, 39
 - from distributions, 40
 - weighting choices, 73
- Random sampling**
 - with replacement, `RandomChoice`, 40, 87, 269
 - without replacement, `RandomSample`, 40, 268
- Random strings**, 268
 - weighted, 282
- Random walks**, 234
 - animation of, 302
 - center of mass, 227
- characterization of, 226
- dynamic interfaces for, 302
- full package for, 388
- off-lattice, 238, 241
- on digits of π , 290, 314
- on graphs, 211
- on integer lattice, 215, 234
- one-dimensional, 32
- two-dimensional lattice, 191
- visualization of, 33, 107
- RandomChoice**, 32, 40
- RandomComplex**, 40
- RandomInteger**, 39
- RandomReal**, 39
- RandomSample**, 40
- RandomVariate**, 40
- Range**, 60
- Rational numbers, 34, 50
- Re**, 36
- Real numbers, 35
- RealDigits**, 38
- Reap**, 178
- Reciprocals, 50, 61
- Recursion**, 153
 - dynamic programming, 156
 - limiting levels of in computations, `$RecursionLimit`, 158, 210
 - multiple arguments in functions defined with, 156
 - tail, 155
- ReflectionTransform**, 289
- RegionMemberFunction**, 363
- RegionPlot**, 317
- Regions**
 - centroids, `RegionCentroid`, 185, 284
 - centroids of clustered data, 208
 - efficiency of `RegionMember`, 363
 - measuring arclength in, `RegionMeasure`, 124
 - membership in, `RegionMember`, 338
 - point closest to line, `RegionNearest`, 341
 - polygonal, 337
- Regular expressions, 260
 - classes of characters in, 260
 - lookahead/lookbehind, 263
 - mixing with string patterns, 261

- referring to patterns in, 262
- `RegularExpression`, 260
- Regular graphs, 210
- Relational operators, 53
- `ReleaseHold`, 29
- Rep units, 191
- `Repeated(., .)`, 107
- `RepeatedNull(., .)`, 107
- `ReplacePart`, 81, 115
- Rest, 76
- `Reverse`, 79, 133
- Riemann ζ function, 225
- Root finding
 - Newton's method, 172
 - secant method, 178
- Root plots, 315
 - complex values in, 343
- `Rotate`, 148
- `RotateLeft`, 79, 197
- `RotateRight`, 79
- Rotoreliefs, 302
- Row, 65
- Rows of matrices, swapping, 212
- Rules, delayed, `RuleDelayed(:>)`, 114
- `SameQ(==)`, 36, 195
- Sapir-Whorf hypothesis, 10
- Scatter plots, 119
- SCHEME programming language, 131
- Scoping, 208
 - graphics directives, 284
 - localization of constants, `With`, 210
 - localization of names, `Module`, 208
 - localization of values, `Block`, 210
- SDF file format, 327
- `Select`, 141, 200
- Selectors, 36
- Semantic vs. syntactic pattern matching, 99
- Semantics, definition of, 20
- Semordnilaps, 259
- Sentences, length of, 259, 266
- Sequences, 100
 - finding subsequences within, 134, 214, 257
- `SessionTime`, 305
- `Set(=)`, 45
- `SetAttributes`, 60, 139
- `SetDelayed(:=)`, 46
- `SetSystemOptions`, 348
- Shannon, Claude, 42
- Short, 288
- Shortest path problems, 330
- Shorthand notation
 - `&&`, `And`, 55
 - `@@`, `Apply`, 134
 - `@@@`, `Apply at level one`, 135
 - `/;`, `Condition`, 103
 - `&`, `Function`, 181
 - `/@`, `Map`, 133
 - `||`, `Or`, 55
 - `; ;`, `Span`, 74
 - `~~`, `StringExpression`, 255
 - `<>`, `StringJoin`, 247
 - `[[[...]]]`, `Part`, 25, 74
- Show, 289, 324
- `ShowStringCharacters`, 93
- Sierpiński triangle, 152
- Sieving algorithms
 - Eratosthenes, 223
 - improving efficiency of, 350
 - used to find lucky numbers, 241
- Sign function, `Sign`, 176, 346
- Signal processing
 - Hamming distance, 195
 - removing spikes, 186
 - smoothing noise, 372
- Signed area, of triangles, 124, 335
- Simple closed paths, 330, 345
- `Sin`, dynamic visualization of, 302
- `Sinc`, 191
- `Slider`, 297
- `Slider2D`, 293, 378
- Smarandache-Wellin numbers, 51, 253
- Smith numbers, 241
- Software development, 7
- `Sort`, 133
- `SortBy`, 79, 200

- Sorting
 - associations, 92
 - basic algorithm for lists, 127
 - bubble sort, 129
 - canonical order for, 77
 - computational complexity of, 129
 - elements of nested lists, 133
 - lists, 77
 - mathematical constants, 79, 129
 - merge sort, 130
 - points in the plane by polar angle, 331–332
- Sow, 178
- Space-filling plots, 326, 345
- Span (;), 74
- Sparse arrays, 22
 - converting to normal form, 68
 - creating, 68
 - efficiency issues, 348
- SparseArray, 68
- Spectral norms, 31
- Specularity, 328
- Sphere, 287
- Sphere stacking, 88
- Spikes, removing in data, 186
- Square matrices, 143
- Square numbers, 57, 191
- Square palindromic numbers, 365
- Square pyramidal numbers, 88
- Square triangular numbers, 57
- Standard deviation, 191
 - visualization of, 291
- Stem plots, 217
 - package for, 393
- Stop words, 266
- StringCases, 255
- StringCount, 247
- StringDrop, 88, 247
- StringExpression (~), 255
- StringInsert, 88, 247
- StringJoin (<>), 88, 247
- StringMatchQ, 255
- StringPosition, 247, 256
- StringReplace, 116, 248
- StringReplacePart, 280
- StringReverse, 88, 247
- Strings, 242
 - alternatives in patterns, 258
 - binary representation, 41
 - character codes, 243
 - characters in, Characters, 248
 - codes for non-English languages, 244
 - concatenating, StringJoin, 247
 - converting to Ascii, ToCharacterCode, 244
 - digits in, DigitCharacter, 256
 - encoding, 249
 - in output, 242
 - internal algorithms, 249
 - length of, StringLength, 248
 - n-grams, 254
 - naming patterns in, 256
 - numbers in, NumberString, 256
 - operations compared to lists, 248
 - operations on, 247
 - output form, 27
 - padding, 254
 - partitioning, 271
 - patterns for, 254
 - random, 268
 - random (weighted), 282
 - regular expressions for, 260
 - rotating, 252
 - splitting into words, TextWords, 88
 - tallying character counts, 253
 - testing for, StringQ, 52
 - tests on, 243
 - transposing, 252
 - trimming, 248
 - Unicode of, 244
- StringSplit, 257
- StringTake, 247
- StringTrim, 248
- Structured patterns, 98, 270
- Sturmian words, 254
- Style, 92
- Subsets, 341
- Sum, 346

- Sunspot activity, 130, 233
- Surfaces, visualizing intersection of, 343
- SwatchLegends, 218
- Switch, 167
- Symbolic computation, compared with numeric, 310
- SymmetricMatrixQ, 52, 66
- Syntax
 - alternate forms, 13
 - definition of, 20
- SystemOptions, 348
- \t, (raw tab), 171
- Table, 61
 - creating nested lists with, 61
- TableForm, 63
- Tabs, in strings (\t), 171
- Take, 75
- Tao, Terrence, 98
- Templates, for messages, 219
- Text analysis
 - cleaning transcribed audio, 266
 - distribution of sentence lengths, 266
 - punctuation counts in, 282
 - stop words, 266
- TextCell, 93
- TextSentences, 259
- TextWords, 88, 259
- Thread, 135
- Time series
 - changing window, TimeSeriesWindow, 132
 - converting expressions to, 131
 - creating from data, 233
 - differences from mean in, 135
 - finding peaks, FindPeaks, 132
 - lag plots, 229
 - plotting, DateListPlot, 132
 - TimeSeries object, 131
 - visualizing auto-correlation in, 229
- Timing
 - different measures of, 363
 - granularity, \$TimeUnit, 305
 - kernel vs. front end, 305
- measuring on multi-threaded machines, 355
- ToBoxes, 310
- ToUpperCase, 248
- Tower of Hanoi, 159
- Tracing
 - evaluation, 30, 197
 - localized variables, 208
 - recursive computation, 157
- Transformation rules, 112
 - applied repeatedly, 115
 - Cartesian product example, 118
 - compared with assignments, 114
 - counting change example, 120
 - delayed, 114
 - dice visualization example, 119
 - evaluation order of, 264
 - labeled patterns with, 115
 - syntax of, 114
 - with strings, StringReplace, 116
- Transformations, geometric in graphics, 289
- Transition probability matrix, 211
- Translations, of graphics, Translate, 149
- Transposing
 - expressions, Thread, 137
 - lists, Transpose, 80
 - procedural definitions for, 179
 - strings, 252
- Traveling salesman problems, 213, 303, 330
- TreeForm, 25, 73
- Triangles
 - altitude of, 345
 - area of, 124, 335
 - center of mass (centroid), 185, 302
 - centers of, 291, 345
 - circumcenter, 291, 339
 - dynamic, 293
 - equilateral, 214
 - Euler line, 346
 - graphics primitive, Triangle, 283
 - Heron's formula to find area of, 143
 - incenter, 291
 - medians, 183, 284
 - midpoints of sides, 183

- orthocenter, 291
- perimeter of, 122
- perpendicular bisectors, 339
 - signed area, 124, 335
- Triangular numbers, 57, 363
- Truth tables, 55, 212, 241
- Tryptophan, 329
- Turing, Alan, 214
- Unicode, 244
- Union, 83
- Units, QuantityMagnitude, 328
- Unprotect, 60
- Upper triangular matrices, 176
 - efficient generation of, 348
- Usage messages, 386
- Values, 89
- van der Waals radius, 328
- Vandermonde matrix, 146
- Variables, definitions for, 43
- Vectors
 - testing for, VectorQ, 52
 - visualization of arithmetic on, 302
- Venn diagrams, 317, 343
 - dynamic interface for, 343
- VertexCoordinates, 327
- VertexCount, 57
- VertexDegree, 199
- VertexTypes, 327
- Virtual machine, compilation to, 374
- Vowels, finding words containing, 265
- Warning messages, 219, 386
- Web pages, scraping data from, 256, 265
- Weisstein, Eric, 204
- West, Mae, 282
- Which, 166
- While, 172
- With, 210
 - compared to Module, 211
- Wolfram Language, 13
- Word games
 - anagrams, 251, 282
 - blanagrams, 280, 370
 - palindromes, 259
 - semordnilaps, 259
- Word length, in nucleotide sequences, 143
- Words
 - abecedarian, 267
 - collocation of, 283
 - finding unique in text, 259
 - in dictionary, 192
 - length of, 259
 - pluralizing, 266
 - stop, 266
 - Sturmian, 254
 - vowels in, 265
- Xor (\vee), 56
- Xor cipher, 41, 245
- Zhang, Yitang, 98
- \$BaseDirectory, 379
- \$Context, 381
- \$MaxPrecision, 210
- \$MinPrecision, 210
- \$Path, 379
- \$ProcessorCount, 367
- \$UserBaseDirectory, 379

